



双紫[®]

SHUANGZI

SELF DRILLING SCREW

HANDAN SHUANGZI METAL PRODUCTS CO., LTD.



CORPORATE PROFILE




Handan Shuangzi Metal Products Co., Ltd is a professional manufacturer of drilling screw and tapping screw enterprises. Since its establishment, the company has been focusing on the production and R&D of drilling screw, which has built a modern, high standard, scale, variety of professional production line of drill tail screw. All used equipment are imported from Germany, Japan and Taiwan, with an annual output of high quality, multi-variety drill tail screw. The company employed the top domestic technologist, in hexagon-shaping、clipping、thread-rolling、carburize、zinc plated、washer machine、package and other processes, every link strives for perfection and the best.

In the operation process, we always put the customer needs and benefits first, “quality-oriented, operating in good faith for the purpose”, and produce high quality products with humanized communication. Our products sell well north and south in China, exported to India, Russia, Canada, Australia, Kazakhstan and Philippines etc over dozens of countries and regions.


We are willing to cooperate sincerely with industry elites to create brilliant future.

Sincerely welcome customers and experts visit our company for communication and guidance!

QUALIFICATION CERTIFICATE



PRODUCTION EQUIPMENT




The company costlly advanced production equipment and exquisite technology from Germany, Japan and Taiwan.
Production in strict accordance with international standards, for the production of high-value, high-quality products
to lay a better foundation.





PRODUCTION EQUIPMENT AND PROCESS FLOW

Production equipment and technological process of the company spent heavily to introduce Germany, Japan and Taiwan advanced production equipment and exquisite technology, in strict accordance with the international prevailing standard production, to produce high value, high quality products to lay a good foundation.



HEXAGON FLANGE

SELF DRILLING SCREW



Special process and characteristic advantages:

1. Galvanized surface , high brightness, strong corrosion resistance.
2. Carburize tempering treatment, high surface hardness.
3. Advanced technology, high locking performance.

Product Usage:

1. Apply to metal plate, galvanized steel plate, metal curtain wall, metal light compartment, aluminum door and window, indoor and outdoor decoration.
2. General angle steel, channel steel, iron plate, PC Board and other metal material combining installation.
3. Suitable for assembling steel roof, automobile body, container, shipbuilding industry, freezing equipment and so on.

HEX HEAD SELF DRILLING

SCREW WITH EPDM WASHER



Special process and characteristic advantages:

1. Galvanized surface , high brightness, strong corrosion resistance.
2. Carburize tempering treatment, high surface hardness.
3. Advanced technology, high locking performance.

Product Usage:

1. Apply to metal plate, galvanized steel plate, metal curtain wall, metal light compartment, aluminum door and window, indoor and outdoor decoration.
2. General angle steel, channel steel, iron plate, PC Board and other metal material combining installation.
3. Suitable for assembling steel roof, automobile body, container, shipbuilding industry, freezing equipment and so on.

BLUE WHITE ZINC PLATED HEX HEAD SELF DRILLING SCREW

Special process and characteristic advantages:

1. Galvanized surface , high brightness, strong corrosion resistance.
2. Carburize tempering treatment, high surface hardness.
3. Advanced technology, high locking performance.

Product Usage:

1. Apply to metal plate, galvanized steel plate, metal curtain wall, metal light compartment, aluminum door and window, indoor and outdoor decoration.
2. General angle steel, channel steel, iron plate, PC Board and other metal material combining installation.
3. Suitable for assembling steel roof, automobile body, container, shipbuilding industry, freezing equipment and so on.



HEXAGON FLANGE HEAD SELF DRILLING SCREW WITH RUBBER WASHER

Special process and characteristic advantages:

1. Galvanized surface , high brightness, strong corrosion resistance.
2. Carburize tempering treatment, high surface hardness.
3. Advanced technology, high locking performance.


Product Usage:

1. Apply to metal plate, galvanized steel plate, metal curtain wall, metal light compartment, aluminum door and window, indoor and outdoor decoration.
2. General angle steel, channel steel, iron plate, PC Board and other metal material combining installation.
3. Suitable for assembling steel roof, automobile body, container, shipbuilding industry, freezing equipment and so on.



HEXAGON NYLON HEAD

SELF DRILLING SCREW




Special process and characteristic advantages:

The shape of nylon head is smooth and beautiful, the color is rich and widely applicable, and it has good wear resistance. It also combines with the drill tail screw technology and its convenient to use, can be customized a variety of colors according to customer needs.

Product Usage:

1. Apply to metal plate, galvanized steel plate, metal curtain wall, metal light compartment, aluminum door and window, indoor and outdoor decoration.
2. General angle steel, channel steel, iron plate, PC Board and other metal material combining installation.
3. Suitable for assembling steel roof, automobile body, container, shipbuilding industry, freezing equipment and so on.



SHRINKLE VERTICAL ROLL

SELF DRILLING SCREW

Special process and characteristic advantages:

1. Galvanized surface, high brightness, strong corrosion resistance.
2. Carburize tempering treatment, high surface hardness.
3. Advanced technology, high locking performance.

Product Usage:

1. Apply to metal plate, galvanized steel plate, metal curtain wall, metal light compartment, aluminum door and window, indoor and outdoor decoration.
2. General angle steel, channel steel, iron plate, PC Board and other metal material combining installation.
3. Suitable for assembling steel roof, automobile body, container, shipbuilding industry, freezing equipment and so on.



BAKED PAINT HEAD >

SELF DRILLING SCREW



Special process and characteristic advantages:

The shape of baked paint head is smooth and beautiful, the color is rich and widely applicable, and it has good wear resistance. It also combines with the drill tail screw technology and its convenient to use, can be customized a variety of colors according to customer needs.

Product Usage:

1. Apply to metal plate, galvanized steel plate, metal curtain wall, metal light compartment, aluminum door and window, indoor and outdoor decoration.
2. General angle steel, channel steel, iron plate, PC Board and other metal material combining installation.
3. Suitable for assembling steel roof, automobile body, container, shipbuilding industry, freezing equipment and so on.

HEXAGON FLANGE WOOD SCREW >

SELF DRILLING SCREW

Special process and characteristic advantages:

1. Galvanized surface, high brightness, strong corrosion resistance.
2. Carburize tempering treatment, high surface hardness.
3. Advanced technology, high locking performance.

Product Usage:

Mainly used for the combination of iron plate, steel plate, colored steel, semi-metal plate, hard plastic plate, nylon plate and board, wood square, wood strip and all kinds of wood product.

Optimum drilling thickness:

1. The thickness of steel plate and iron plate shall not exceed 2.5mm
2. The thickness of plastic board, nylon board and semi-metal board shall not exceed 1/4 of the screw length.
3. The thickness of wood board shall not exceed 3/4 of the screw length.



CSK HEAD

SELF DRILLING SCREW

Special process and characteristic advantages:

1. Galvanized surface, high brightness, strong corrosion resistance.
2. Carburize tempering treatment, high surface hardness.
3. Advanced technology, high locking performance.

Product Usage:

1. Suitable for the thin metal plate, galvanized steel plate, colored steel plate and similar thickness steel.
2. Applicable to aluminum door and window, plastic steel door and window, automobile body, container, metal packing case.
3. Various iron parts of home decoration, interior ceiling decoration and so on.



TRUSS HEAD

SELF DRILLING SCREW

Special process and characteristic advantages:

1. Galvanized surface, high brightness, strong corrosion resistance.
2. Carburize tempering treatment, high surface hardness.
3. Advanced technology, high locking performance.

Product Usage:

1. Suitable for the thin metal plate, galvanized steel plate, colored steel plate and similar thickness steel.
2. Applicable to aluminum door and window, plastic steel door and window, automobile body, container, metal packing case.
3. Various iron parts of home decoration, interior ceiling decoration and so on.



PAN HEAD

SELF DRILLING SCREW



Special process and characteristic advantages:

1. Galvanized surface, high brightness, strong corrosion resistance.
2. Carburize tempering treatment, high surface hardness.
3. Advanced technology, high locking performance.

Product Usage:

1. Suitable for the thin metal plate, galvanized steel plate, colored steel plate and similar thickness steel.
2. Applicable to aluminum door and window, plastic steel door and window, automobile body, container, metal packing case.
3. Various iron parts of home decoration, interior ceiling decoration and so on.

STAINLESS STEEL SERIES

SELF DRILLING SCREW

Material: SS304, SS410


Hex head, csk head, pan head, truss head.

Product Usage:

1. Apply to metal plate, galvanized steel plate, metal curtain wall, metal light compartment, aluminum door and window, indoor and outdoor decoration.
2. General angle steel, channel steel, iron plate, PC Board and other metal material combining installation.
3. Suitable for assembling steel roof, automobile body, container, shipbuilding industry, freezing equipment and so on.



DRYWALL SCREW ➤



Product introduction:

Drywall screws series drilling tail screws mainly used for various gypsum plate, light partition wall and ceiling series installation.

Product features:

Without auxiliary processing, able to drill, tap, and lock directly on the material. Save construction time greatly.
Safe to use and keep well.



CHIPBOARD SCREW ➤

Product introduction:


Chipboard screw is a heat treatment process, suitable for the installation of power tools products. Mainly used in wooden, thin steel plate connection and fastening.

Product features:

Without auxiliary processing, able to drill, tap, and lock directly on the material. Save construction time greatly.
Safe to use and keep well.



GASKET SERIES



Outer diameter: 14mm 16mm,
19mm 25mm 30mm.
Inner diameter: 4.8mm 5.5mm 6.3mm.

Material: Iron, stainless steel,
aluminum alloy.




Drill tail screw, color steel plate, steel structure fittings and so on.



CHECKOUT EQUIPMENT

In order to ensure the quality of ShuangZi brand products, the company introduced advanced testing equipment, perfect professional testing process, the omni-directional construction of quality guarantee system, make every process, every process, every link in the scientific and rigorous quality control, thus achieves excellence quality.




HV-1000Z Micro vickers
Hardness Tester



JVC-Color Video Camera



Metallographic
Sample Cutting Machine



Video Measuring
instrument



Self-drilling tapping



Digital Rockwell
Hardness Tester

**Professional manufacture, professional quality
forge ahead hand in hand, create brilliant future together**



Web



Factory VR

ADD: West of Xiduanzhuang Village, Linmingguan Town,
Yongnian Dist. Handan City, Hebei Province, China.

Website: <http://shuangzimetel.en.alibaba.com>

Website: www.shuangzimetel.com

Tel: +86-310-6897727 400-6991-661